



**Specifications Noxion LED Panel**  
**Standard 60x60cm 4000K 40W UGR<22**  
**| Cool White - Replaces 4x18W**

[View Product](#)

## General Information

|                          |                                                                       |
|--------------------------|-----------------------------------------------------------------------|
| SKU                      | 223698                                                                |
| EAN                      | 8719157001670                                                         |
| Brand                    | Noxion                                                                |
| Manufacturer Name        | Noxion LED Panel Delta Pro 40w 4000lm 4000K 60x60 UGR<22 (4x18W eqv.) |
| Any Lamp all-in warranty | 6 Years                                                               |
| Average Lifetime (h)     | 70000                                                                 |
| Series                   | Delta Pro                                                             |

## Technical Information

|                             |                 |
|-----------------------------|-----------------|
| Technology                  | LED Integrated  |
| Replaces (Watt)             | 4x18            |
| Wattage                     | 40              |
| Voltage (V)                 | 220-240         |
| Dimmable                    | Not Dimmable    |
| Colour Code                 | 840 Cool White  |
| Colour temperature (Kelvin) | 4000 Cool White |
| Colour Rendering (Ra)       | 80-89           |
| Colour of Light             | White           |
| Light colour options        | Single Color    |
| Including bulb              | Yes             |

|                          |                   |
|--------------------------|-------------------|
| Luminous Flux (Lumen)    | 4000              |
| Luminous Efficacy (lm/W) | 100               |
| Suitable for Outdoor     | No                |
| IP-rating                | IP20              |
| Impact Protection (IK)   | IK04 - 0.50 joule |
| Installation Depth (mm)  | 100               |
| Driver Included          | Yes               |
| Power factor             | >0.95             |
| Product Type Category    | LED Panel         |

### Fixture Information

---

|                       |                          |
|-----------------------|--------------------------|
| Mounting Method       | Recessed                 |
| Unified Glare Rating  | < 22 - for general areas |
| Optical Cover         | Opal                     |
| Operating Temperature | -10 to +40               |
| Emergency Lighting    | No Emergency Unit        |
| Colour of the Fixture | White                    |
| Housing               | Aluminium                |
| Colour of material    | White                    |

### Dimensions

---

|                |         |
|----------------|---------|
| LED panel size | 60x60cm |
| Length (mm)    | 595     |
| Width (mm)     | 595     |
| Height (mm)    | 10.5    |

### Sensor Information

---

Type of sensor

No Sensor

### Why Any-lamp?



Order from the **largest lighting specialist** in Europe



**Customised** quotation



Up to **7 years warranty**



**Easy** return process

